

A Tool for Generating Slider Functions

File: slider-make.rev
in: /home/wiwi/pwolf/R/aplpack/sliderfns

December 1, 2009

1 The definition of `as.slider.function`

In this section we define the function `as.slider.function` which constructs a `slider.*` function on base of a function of the user. The name of the new slider function will be composed of the string "slider." and the name of the user's function. If you have written the function `myhist` then you have to pass `myhist` to `as.slider.function` and the new function `slider.myhist` will be created. For defining the sliders the arguments of the input function, e.g. of `myhist`, without the first one are use. The idea behind this construction is the observation that the first argument very often is a data set whereas the other arguments specify kinds of computation or some attributes of an resulting plot. Therefore, for each of all but the first argument a slider will be constructed. After calling `as.slider.function` a new window or widget is opened and the user has to add the main characteristics of the sliders interactively: minima, maxima, steps, and default values. By pressing the button "make slider function" the new function is printed and it is created in the global environment. The new function can be used as it is or it can be modified it as needed.

The function `as.slider.function` is separated into three parts. At first the input function is analyzed, then the widget that controls the characteristics of the sliders is constructed, and last not least is the generating function defined.

```
1 <define as.slider.function 1> ≡ 2  
  as.slider.function<-function(refresh.function){  
    <get info of input function 3>  
    <define widget for setting parameters 4>  
    <define function for button make slider function 5>  
  }
```

Now we ready to test our new mechanism.

```
2 <test as.slider.function 2> ≡  
  <define as.slider.function 1>  
  myhist<-function(x,breaks,col=2){  
    hist(x,breaks=breaks,col=col)  
  }  
  as.slider.function(myhist)
```

```

3  <get info of input function 3> ≡  C 1, 6
    fname<-deparse(substitute(refresh.function)); new.fname<-paste("slider.",fname,sep="")
    formals.refresh.function<-formals(refresh.function)
    first.arg<-names(formals.refresh.function)[1]
    formals.refresh.function<-formals.refresh.function[-1]
    args<-names(formals.refresh.function)
    defaults<-unlist(lapply(formals.refresh.function,function(x) as.character(x)[1]))
    defaults[defaults==""]<-"0"

4  <define widget for setting parameters 4> ≡  C 1, 6
    ## define top level widget
    top<-tktoplevel(); w<-10
    tkwm.title(top,paste('as.slider.function: define characteristics of sliders of "',
                          new.fname,'"',sep=""))
    ## define input field for slider characteristics
    for(i in seq(along=args)){
        frame<-tkframe(top,width=40); tkpack(frame)
        label<-tklabel(frame,text=args[i],width=15); tkpack(label,side="left")
        label.set<-c("Min","Max","Step","Default"); entry<-NULL
        for(j in seq(along=label.set)){
            label<-tklabel(frame,text=label.set[j],width=w); tkpack(label,side="left")
            entry<-c(entry,list(tkentry(frame,width=w))); tkpack(entry[[j]],side="left")
            var.name<-paste(label.set[j],i,sep=""); value<-ifelse(j==3,"1",defaults[i])
            set.tclvalue(var.name,value); tkconfigure(entry[[j]],textvariable=var.name)
        }
    }
    frame<-tkframe(top,width=40); tkpack(frame,fill="both",expand="yes")
    ## define buttons "exit" and "make slider function"
    exit<-tkbutton(frame,text="exit",command=function() tkdestroy(top))
    doit<-tkbutton(frame,text=paste("make",new.fname))
    tkpack(doit, side="left"); tkpack(exit, side="right")

5  <define function for button make slider function 5> ≡  C 1
    make.slider.function<-function(enviro=sys.parent()){
        # header of new slider function
        new.fun<-paste(new.fname,sep="",
                       "<-function(\"\",first.arg,\"\",paste(args,collapse=\"\",\"\")){\"")
        # header of redo function
        redo.name<-paste("redo",fname,sep=".")
        new.fun<-c(new.fun,paste(" ",redo.name," <- function(...){\",sep="")
        # request slider values
        for(i in seq(along=args)){
            new.fun<-c(new.fun,paste(" ",args[i],"<- slider(no=\"\",i,\"\"))
        }
        # copy body of input function
        new.fun<-c(new.fun,paste(" ",deparse(body(refresh.function)))," }")
        # construct call of slider for initialisation of slider widget
        new.fun<-c(new.fun,paste(" slider(sl.function =\",redo.name,\"\",sep="")
        # set labels of the sliders

```

```

new.fun<-c(new.fun,paste("      sl.names      =c(",paste(paste("",args,"",sep=""),collapse=","),"),",
# set parameters of the sliders
param<-NULL
for(i in seq(along=args)){
  h<-NULL
  for(j in seq(along=label.set)){
    var.name<-paste(label.set[j],i,sep=""); h<-c(h,tclvalue(var.name))
  }
  param<-rbind(param,h)
}
par.list<-c("sl.mins      ","sl.maxs      ","sl.deltas  ","sl.defaults")
for(i in seq(along=par.list)){
  new.fun<-c(new.fun,paste("      ",par.list[i],"=c(",paste(param[,i],collapse=","),"),",sep=""))
}
# set title of slider widget
new.fun<-c(new.fun,paste("      title      =","'",paste("slider",fname,sep="."),"'",sep=""))
# end of slider call
new.fun<-c(new.fun,"  )")
# initial call of the redo function
new.fun<-c(new.fun,paste("      ",redo.name,"()",sep=""))
# tail of new slider function
new.fun<-c(new.fun,"}")
# print composed function as text
print(noquote(cbind(new.fun)))
A<-eval(parse(text=new.fun))
assign(paste("slider",fname,sep="."),A,pos=1)
cat("new slider function \'",new.fname,sep="","\n" defined in .GlobalEnv\n")
cat("try: > ",new.fname,sep="","(x)\n")
}
# add make slider button and pack it
tkconfigure(doit,command=make.slider.function)

```

2 An improved version

The function defined in the first section allows you to create very simple `slider.*` function. At once new ideas arrive and two of them are implemented in `new.slider.function`.

- Very often you have some starting code that should be evaluated before the slider panel and the refreshing function have been started. `new.slider.function` has an argument which can be used to pass initial statements. Up to now the statements have to be packed as elements of a string vector.
- More interesting is the question how we can add some buttons to a slider panel. The new argument `button.names` allows you to fix a vector of button names. For each of the names a button will be constructed. If someone pushes button *i* the `slider.*` function will save the number of the button which has already been pressed. Then it will invoke the code of `refresh.function`. To get an effect of a button press you have to some

if-statements in the code with a condition that integrates the value of the variable `button.pressed`. See the example append below.

```

6      <improved 6> ≡    C 8
      new.slider.function<-function(refresh.function,button.names=NULL,starting.code=NULL){
        <get info of input function 3>
        <define widget for setting parameters 4>
        <define function for button make slider function improved 7>
      }

7      <define function for button make slider function improved 7> ≡    C 6
      ## print(starting.code)
      h<-substitute(starting.code)
      if(is.character(starting.code)){    ## print("CHAR")
        starting.code<-c("{",paste(" ",starting.code),"}")
      } else {                            ## print("CALL")
        starting.code<-deparse(h)
      }
      ## print(starting.code)
      make.slider.function<-function(enviro=sys.parent()){
        ### header of new slider function
        new.fun<-paste(new.fname,sep="",
                      "<-function(",first.arg,",",paste(args,collapse=","),"){"")
        ### initialization of button.pressed
        set.button.pressed<-paste(" ",'slider(obj.name="button.pressed",obj.value=1)')
        new.fun<-c(new.fun,set.button.pressed)
        ### integrate starting code
        starting.code<-paste(" ",as.character(starting.code))
        new.fun<-c(new.fun,starting.code)

        ###refresh function for sliders###
        # header of refresh function
        refresh<-paste(" refresh <- function(...){",sep="")
        # request slider values
        for(i in seq(along=args)){
          refresh<-c(refresh,paste(" ",args[i],"<- slider(no=",i,")")
        }
        # request button pressed
        refresh<-c(refresh,' button.pressed<-slider(obj.name="button.pressed")')
        ###copy body of input function and tail
        refresh<-c(refresh,paste(" ",deparse(body(refresh.function))),"  }")
        new.fun<-c(new.fun,refresh)

        ###b.refresh functions for buttons###
        for(i in seq(along=button.names)){
          b.refresh.name<-paste("b.refresh",i,sep="")
          b.refresh<-paste(" ",b.refresh.name,"<-function(...){",sep="")
          b.refresh<-c(b.refresh,
                      paste(' slider(obj.name="button.pressed",obj.value=',i,')',sep=""),
                      " refresh()",
                      "  }")
          new.fun<-c(new.fun,b.refresh)
        }
      }

```

```

### construct call of slider for initialisation of slider widget ###
new.fun<-c(new.fun," slider(", " sl.function=refresh,")
# set labels of the sliders
new.fun<-c(new.fun,paste(" sl.names =c(",
                        paste(paste("",args,"",sep=""),collapse=""),"),"))
# set parameters of the sliders
param<-NULL
for(i in seq(along=args)){
  h<-NULL
  for(j in seq(along=label.set)){
    var.name<-paste(label.set[j],i,sep=""); h<-c(h,tclvalue(var.name))
  }
  param<-rbind(param,h)
}
par.list<-c("sl.mins ", "sl.maxs ", "sl.deltas ", "sl.defaults")
for(i in seq(along=par.list)){
  new.fun<-c(new.fun,paste(" ",par.list[i],
                        "=c(",paste(param[,i],collapse=""),"),", "sep="))
}

# set buttons
if(0<length(button.names)){ # button functions
  new.fun<-c(new.fun,paste(" but.fun =c(",
                        paste(paste("b.refresh",seq(along=button.names),sep=""),
                        collapse=""),
                        "),")
  })
}
if(0<length(button.names)){ # button names
  new.fun<-c(new.fun,paste(" but.names =c(",
                        paste(paste("",button.names,"",sep=""),collapse=""),
                        "),")
  })
}

# set title of slider widget
new.fun<-c(new.fun,paste(" title =","",
                        paste("slider",fname,sep="."),"",sep=""))

# end of slider call
new.fun<-c(new.fun," )")

### initial call of the refresh function
new.fun<-c(new.fun," refresh()")
### tail of new slider function
new.fun<-c(new.fun," 'ok',"})")
# print composed function as text
print(noquote(cbind(new.fun)))
A<-eval(parse(text=new.fun))
assign(paste("slider",fname,sep="."),A,pos=1)
cat("new slider function \"",new.fname,sep="","\" has been defined in .GlobalEnv\n")
cat("try now: > ",new.fname,sep="","(x)\n")
}
# add make slider button and pack it

```

```
tkconfigure(doit,command=make.slider.function)
```

```
8  <TEST new.slider.function 8> ≡
    <improved 6>
    myhist<-function(x,breaks=5,col=2){
      hist(x,breaks=breaks,col=col,prob=TRUE)
      if(button.pressed==1){
        lines(density(x))
      }
      if(button.pressed==2){
        rug(x)
      }
      if(button.pressed==3){
        lines(density(x))
        rug(x)
      }
    }
    new.slider.function(myhist,
                        button.names=c("density","rug","d + r"),
                        starting.code={print("xyz")}
    #                      starting.code=c('print("xyz")',1)
                        )
    "ok"
```

```
9  <* 9> ≡
    #slider.myhist(co2)
    a<-cbind("slider.myhist<-"=deparse(slider.myhist))
    dimnames(a)[[1]]<-rep("",length(a))
    noquote(a)
```

Here is the result of an creation process.

Fri Nov 27 18:56:10 2009

```
slider.myhist<-
function (x, breaks, col)
{
  slider(obj.name = "button.pressed", obj.value = 1)
  {
    print("xyz")
  }
  refresh <- function(...) {
    breaks <- slider(no = 1)
    col <- slider(no = 2)
    button.pressed <- slider(obj.name = "button.pressed")
    {
      hist(x, breaks = breaks, col = col, prob = TRUE)
      if (button.pressed == 1) {
        lines(density(x))
      }
      if (button.pressed == 2) {
        rug(x)
      }
      if (button.pressed == 3) {
        lines(density(x))
        rug(x)
      }
    }
  }
}
```

```

    }
    b.refresh1 <- function(...) {
      slider(obj.name = "button.pressed", obj.value = 1)
      refresh()
    }
    b.refresh2 <- function(...) {
      slider(obj.name = "button.pressed", obj.value = 2)
      refresh()
    }
    b.refresh3 <- function(...) {
      slider(obj.name = "button.pressed", obj.value = 3)
      refresh()
    }
    slider(sl.function = refresh, sl.names = c("breaks", "col"),
      sl.mins = c(5, 2), sl.maxs = c(15, 20), sl.deltas = c(1,
        1), sl.defaults = c(5, 2), but.fun = c(b.refresh1,
        b.refresh2, b.refresh3), but.names = c("density",
        "rug", "d + r"), title = "slider.myhist")
    refresh()
    "ok"
  }
}

```

3 Appendix

Code Chunk Index

<code><* 9 ∪ 10 ∪ 11 ∪ 12 ∪ 13 ∪ 14></code>	p6
<code><define function for button make slider function 5></code> \subset 1	p2
<code><define function for button make slider function improved 7></code> \subset 6	p4
<code><define as.slider.function 1></code> \subset 2	p1
<code><define widget for setting parameters 4></code> \subset 1, 6	p2
<code><get info of input function 3></code> \subset 1, 6	p2
<code><improved 6></code> \subset 8	p4
<code><test as.slider.function 2></code>	p1
<code><TEST new.slider.function 8></code>	p6

Object Index

<code>args</code> \in 3, 4, 5, 7
<code>as.slider.function</code> \in 1, 2, 4
<code>b.refresh</code> \in 7
<code>b.refresh.name</code> \in 7
<code>defaults</code> \in 3, 4
<code>delta</code> \in 10, 11, 13, 14
<code>doit</code> \in 4, 5, 7
<code>entry</code> \in 4
<code>exit</code> \in 4
<code>f0</code> \in 10, 11, 13, 14
<code>f1</code> \in 10, 11, 13, 14
<code>f2</code> \in 10, 11, 13, 14
<code>f3</code> \in 10, 11, 13, 14
<code>f4</code> \in 10, 11, 13, 14
<code>first.arg</code> \in 3, 5, 7
<code>fname</code> \in 3, 5, 7
<code>formals.refresh.function</code> \in 3
<code>frame</code> \in 4
<code>label</code> \in 4
<code>label.set</code> \in 4, 5, 7
<code>lwd</code> \in 10, 11, 13, 14
<code>make.slider.function</code> \in 1, 4, 5, 6, 7
<code>myhist</code> \in 2, 8
<code>new.fname</code> \in 3, 4, 5, 7
<code>new.fun</code> \in 5, 7
<code>new.slider.function</code> \in 5, 6, 7, 8
<code>param</code> \in 5, 7
<code>par.list</code> \in 5, 7
<code>redo.name</code> \in 5
<code>refresh</code> \in 7
<code>set.button.pressed</code> \in 7
<code>size1</code> \in 10, 11, 13, 14
<code>size2</code> \in 10, 11, 13, 14
<code>size.sektor</code> \in 10, 11, 13, 14
<code>starting.code</code> \in 6, 7, 8
<code>t2p</code> \in 10, 11, 13, 14
<code>t2xy</code> \in 10, 11, 13, 14
<code>top</code> \in 4
<code>value</code> \in 4
<code>var.name</code> \in 4, 5, 7


```

f0<-"white"; f1<-"black"; f2<-"red"; f3<-"green"; f4<-"blue"
f2<-f0; f4<-f3; #f3<-f4<-f1; f2<-f0
par(pty="s")
size1<-10 # C
lwd<-3*par()$pin[1]*size1/21
size2<-15/21*size1 # S
plot(3:15,type="n",xlim=c(3,22),ylim=c(3,22),pch=11:20,bty="n",ann=FALSE,axes=FALSE)
size.sektor<-2.2*size1/20*(w<-diff(par()$usr[1:2])/25.96)
points(5,5,cex=size1,lwd=lwd) # C
points(5,5,cex=size2,lwd=lwd,col=f3) # S
delta<-1.8*size1/21*w
segments(5-delta,5,5+delta,5,lwd=lwd,col=f4) # Querstrich

t2xy <- function(t,radius,init.angle=0) {
  t<-t/360
  t2p <- 2*pi * t + init.angle * pi/180
  list(x = radius * cos(t2p), y = radius * sin(t2p))
}
P <- t2xy(0:45 , size.sektor,180); P$x<-P$x+5; P$y<-P$y+5
polygon(c(P$x, 5), c(P$y, 5),border = "white", col = f2) # lu
P <- t2xy(0:45 , size.sektor*1.5,0); P$x<-P$x+5; P$y<-P$y+5 # ro
polygon(c(P$x, 5), c(P$y, 5), border = "white", col = f2)
# abline(v=5,h=5)
P <- t2xy(c(20,45,70),size.sektor*2.2,0)
segments(P$x+5,P$y+5,9*P$x+5,9*P$y+5,lwd=1.5*lwd,lty=2,xpd=NA,col=f3)

```

```

11 (<*9)+≡
f0<-"white"; f1<-"black"; f2<-"red"; f3<-"green"; f4<-"blue"
f2<-f0; f4<-f3; #f3<-f4<-f1; f2<-f0
par(pty="s")
size1<-5 # C
lwd<-3*par()$pin[1]*size1/21
size2<-15/21*size1 # S
plot(3:15,type="n",xlim=c(4,8),ylim=c(4,8),pch=11:20,bty="n",ann=FALSE,axes=FALSE)
size.sektor<-2.2*size1/20*(w<-diff(par()$usr[1:2])/25.96)*2.8 # 2.8PS
points(5,5,cex=size1,lwd=lwd) # C
points(5,5,cex=size2,lwd=lwd,col=f3) # S
delta<-1.8*size1/21*w *1.5 # 1.5 PS
segments(5-delta,5,5+delta,5,lwd=lwd,col=f4) # Querstrich

t2xy <- function(t,radius,init.angle=0) {
  t<-t/360
  t2p <- 2*pi * t + init.angle * pi/180
  list(x = radius * cos(t2p), y = radius * sin(t2p))
}
P <- t2xy(0:60 , size.sektor,180); P$x<-P$x+5; P$y<-P$y+5
polygon(c(P$x, 5), c(P$y, 5),border = "white", col = f2) # lu
P <- t2xy(0:60 , size.sektor*1.5,0); P$x<-P$x+5; P$y<-P$y+5 # ro
polygon(c(P$x, 5), c(P$y, 5), border = "white", col = f2)
# abline(v=5,h=5)
P <- t2xy(c(0,30,60),size.sektor*2.2,0)
segments(P$x+5,P$y+5,6*P$x+5,6*P$y+5,lwd=1.5*lwd,lty=2,xpd=NA,col=f3)
dev.copy(postscript,"logo.ps",width=4,horizontal=FALSE); dev.off()

```


